



Series/Model: SR6700 Fixed

**NFRC U-FACTOR, SHGC, VT, AND CR COMPUTER SIMULATION REPORT SUMMARY**

Standards: NFRC 100-2014, NFRC 200-2014, NFRC 500-2014

ID	U-Factor	SHGC	VT	CR	Fill	Spacer	Exterior Lite		Air Space	Lite # 2		Air Space	Lite # 3		Air Space	Lite # 4	
1	<b>0.33</b>	0.24	0.54	50	Argon	Stainless Steel	0.221	RLE6227	0.500	0.221	Clear						
2	<b>0.34</b>	0.32	0.60	50	Argon	Stainless Steel	0.221	RLE7036	0.500	0.221	Clear						
3	<b>0.34</b>	0.34	0.62	50	Argon	Stainless Steel	0.223	VE12M	0.500	0.223	Clear						
4	<b>0.35</b>	0.34	0.42	50	Argon	Stainless Steel	0.223	VE148	0.500	0.223	Clear						
5	<b>0.35</b>	0.53	0.66	50	Argon	Stainless Steel	0.225	Clear	0.500	0.224	TIPS						
6	<b>0.39</b>	0.62	0.65	49	Argon	Stainless Steel	0.225	Clear	0.500	0.222	Comfort E2						
7	<b>0.35</b>	0.52	0.67	50	Argon	Stainless Steel	0.223	Clear	0.500	0.223	VE185						
8	<b>0.32</b>	0.25	0.56	52	Argon	Stainless Steel	0.225	E366	0.500	0.224	Clear						
9	<b>0.33</b>	0.36	0.62	52	Argon	Stainless Steel	0.224	E272	0.500	0.224	Clear						
10	<b>0.33</b>	0.32	0.60	52	Argon	Stainless Steel	0.236	E270	0.500	0.224	Clear						
11	<b>0.32</b>	0.25	0.56	52	Argon	Stainless Steel	0.225	E366	0.500	0.224	Clear						
12	<b>0.34</b>	0.22	0.33	52	Argon	Stainless Steel	0.224	E240	0.500	0.224	Clear						
13	<b>0.50</b>	0.64	0.71	44	Argon	Stainless Steel	0.224	Clear	0.500	0.224	Clear						
14	<b>0.29</b>	0.35	0.60	45	Argon	Stainless Steel	0.224	E272	0.500	0.223	i89						
15	<b>0.28</b>	0.24	0.54	46	Argon	Stainless Steel	0.225	E366	0.500	0.223	i89						
16	<b>0.29</b>	0.31	0.59	45	Argon	Stainless Steel	0.236	E270	0.500	0.223	i89						
17	<b>0.33</b>	0.35	0.62	50	Argon	TriSeal Spacer	0.223	SB60	0.500	0.223	Clear						
18	<b>0.33</b>	0.25	0.57	50	Argon	TriSeal Spacer	0.223	SB70	0.500	0.223	Clear						
19	<b>0.39</b>	0.59	0.65	50	Argon	TriSeal Spacer	0.223	Clear	0.500	0.223	S500						
20	<b>0.37</b>	0.59	0.63	50	Argon	TriSeal Spacer	0.223	Clear	0.500	0.223	S600						